

Available online at www.sciencedirect.com

SCIENCE DIRECT

Cryogenics

www.elsevier.com/locate/cryogenics

Cryogenics

Index to Volume 43 (2003)

No. 1 (January) pp 1-70

No. 2 (February) pp 71-138

Nos. 3-5 (March-May) pp 139-324

No. 6 (June) pp 325-378

No. 7 (July) pp 379-434

No. 8 (August) pp 435-492

No. 9 (September) pp 493-540

Nos. 10-11 (October-November) pp 541-658

No. 12 (December) pp 659-706

Number 1/January

Experimental measurements of the flow resistance and inductance of inertance tubes at high acoustic amplitudes

Y.L. Ju, G.Q. He, Y.K. Hou, J.T. Liang and Y. Zhou 1

Numerical simulation of cavitating flow of liquid helium in venturi channel J. Ishimoto and K. Kamijo 9

Quench time lag of NbTi mechanical PCS with ramped current waveforms

J. Suehiro and M. Hara 19

The angular dependence of AC losses in BSCCO/Ag tapes under AC magnetic fields and AC transport currents

G.M. Zhang, L.Z. Lin, L.Y. Xiao and Y.J. Yu 25

An isothermal model of a hybrid Stirling/reverse-Brayton cryocooler G.F. Nellis and J.R. Maddocks 31

Fracture of filaments and its influence on critical current and residual strength of fatigued Nb-Ti/Cu superconducting composite S. Ochiai, Y. Oki, F. Sekino, M. Hojo, M. Tanaka, H. Okuda, H. Moriai, S. Sakai and K. Watanabe 45

Fractal study of the fluctuation characteristic in the calibration of the cryogenic thermocouples *P. Zhang, Y.X. Xu, R.Z. Wang and M. Murakami* 53

A pulse-tube refrigerator using variable-resistance orifice *B.J. Huang and B.W. Sun* 59

Announcement 67
Calendar 69

Number 2/February

Effects of local characteristics on the performance of full length Bi2223 multifilamentary tapes

Y. Wang, L. Xiao, L. Lin, X. Xu, Y. Lu and Y. Teng 71

Performance evaluation of the ITER
Toroidal Field Model Coil Phase I
Part 1: current sharing temperature
measurement

R. Zanino, L. Savoldi Richard and The TFMC Testing Group 79

Performance evaluation of the ITER Toroidal Field Model Coil phase I Part 2: M&M analysis and interpretation

R. Zanino and

L. Savoldi Richard 91

Transient testing of perforated plate matrix heat exchangers K. Krishnakumar and

G. Venkatarathnam 101

Current distribution measurement in YBCO thin film for a super-conducting fault current limiter

K. Shimohata, S. Yokoyama, T. Inaguchi, S. Nakamura and

Y. Ozawa 111

Optimum staging of multistage exoreversible refrigeration systems X.C. Xuan 117

Heat transfer and flow of He II in narrow channels

T. Suekane, M. Sekiguchi, S. Hirai and T. Okamura 125

Mechanical behaviour of high nitrogen stainless steel reinforced conductor for use in pulsed high field magnets at cryogenic temperature

J. Freudenberger, A. Gaganov, A.L. Hickman and H. Jones 133

Calendar 137

Numbers 3-5/March-May

Preface, CHATS-2002: Workshop on Computation of Thermohydraulic Transients in Superconductors, September 16–18, 2002, Karlsruhe, Germany

R. Heller 139

Analysis of observations during operation of the NHMFL 45-T hybrid magnet system

J.R. Miller, Y.M. Eyssa, S.D. Sayre and C.A. Luongo 141

Analysis of the NHMFL 45-T hybrid magnet thermal behavior S. Mao, C.A. Luongo and

J.R. Miller 153

Test results and analyses of conductor short samples for HT-7U *P.D. Weng, P. Bruzzone,*

Z.M. Chen, B. Stepanov, J.L. Chen,

F.T. Wang, J. Fang, D.M. Yao, B.J. Xiao, Y.F. Bi and B.Z. Li 165

Thermal performance of TF coils in HT-7U under plasma disruption B. Xiao and P. Weng

Analysis and interpretation of the full set (2000–2002) of T_{CS} tests in conductor 1A of the ITER Central Solenoid Model Coil

R. Zanino, N. Mitchell and L.S. Richard 179

Effective thermal conductivity of the conductor insulation of the ITER toroidal field model coil at operation temperature

V. Pasler, R. Meyder and G. Schmitz 199

Heat transfer from plates to conductors: from toroidal field model coil tests analysis to ITER model

S. Nicollet, J.L. Duchateau, P. Hertout and M. Rebai

Flower, a model for the analysis of hydraulic networks and processes L. Bottura and C. Rosso

A simple model for the prediction of quench point in cable-in-conduit conductors

A. Anghel 225

Analysis of electrical coupling parameters in superconducting cables L. Bottura, M. Breschi and C. Rosso 233

An analytical benchmark for the calculation of current distribution in superconducting cables L. Bottura, M. Breschi and

M. Fabbri 241

Current redistribution and stability of superconducting triplex cable without electrical insulation carrying non-uniform current

N. Amemiya, H. Yonekawa,

E. Kobayashi, T. Ogitsu, K. Sasaki, N. Ohuchi, K. Tsuchiya and T. Shintomi 249

Mechanical and magnetic load effects in Nb₃Sn cable-in-conduit conductors

N. Mitchell 255

Normal zone propagation experiments on HTS composite con-

F. Trillaud, H. Palanki, U.P. Trociewitz, S.H. Thompson, H.W. Weijers and J. Schwartz 271

Superconducting magnets for accelerators and detectors

L. Rossi 281

HTS magnets: stability; protection; cryogenics; economics; current stability/protection activities at FBML Y. Iwasa 303

General paper

Long current loops as regular solutions of the equation for coupling currents in a flat two-layer superconducting cable

317 A.A. Akhmetov Calendar 373

Number 6/June

Simulation of multistream plate-fin heat exchangers of an air separation

R. Boehme, J.A.R. Parise and R.P. Marques 325

Connecting hose's operating characteristics and its effect on the cooling performance of an 80 K Oxford split-Stirling-cycle cryocooler C.O. Zhang, Y.N. Wu, L. Xu, D. Y. Liu and Y.S. Chen

Mechanical properties of Gd123 bulk superconductors at room temperature

A. Murakami, K. Katagiri,

K. Kasaba, Y. Shoji, K. Noto, H. Teshima, M. Sawamura and

M. Murakami 345

Network model approach for calculating oscillating frequency of thermoacoustic prime mover

Q. Tu, Q. Li, F. Wu and F. Zhong Guo 351

Numerical analysis of cooldown and warmup for the Large Hadron Collider

L. Liu, G. Riddone and L. Tavian 359

Critical examination of heat capacity measurements made on a Quantum Design physical property measurement system

J.C. Lashley, M.F. Hundley, A. Migliori, J.L. Sarrao,

P.G. Pagliuso, T.W. Darling,

M. Jaime, J.C. Coolev, W.L. Hults. L. Morales, D.J. Thoma, J.L. Smith, J. Boerio-Goates, B.F. Woodfield,

G.R. Stewart, R.A. Fisher and N.E. Phillips 369

Number 7/July

Characteristics of the double inlet pulse tube

P.C.T. de Boer 379

A comparison among five equations of state in predicting the inversion curve of some fluids B. Haghighi, M.R. Laee and N.S. Matin 393

Measurement of the thermal expansion of metal and FRPs S. Kanagaraj and S. Pattanayak

399

Force measurements of a superconducting-film actuator for a cryogenic interferometric gravitational-wave detector

N. Sato, T. Haruyama, N. Kanda, K. Kuroda, S. Miyoki, M. Ohashi,

Y. Saito, T. Shintomi, T. Suzuki,

D. Tatsumi, C. Taylor, T. Tomaru, T. Uchiyama and

A. Yamamoto

Book review

Laser Doppler and Phase Doppler Measurement Techniques, L. Bottura 431 Calendar 433

Number 8/August

Thermal link for cartridge-type cryostat

M. Sugimoto, Y. Sekimoto,

S. Yokogawa, T. Okuda, T. Kamba, H. Ogawa, K. Kimura, T. Nishino,

K. Noda and K. Narasaki 435

Heat capacities and magnetic moments of potential regenerator materials at low temperatures

I.A. Tanaeva, H. Ikeda, L.J.A. van Bokhoven, Y. Matsubara and A.T.A.M. de Waele

Capacitive level meter for liquid rare gases

R. Sawada, J. Kikuchi,

E. Shibamura, M. Yamashita and T. Yoshimura 449

Simultaneous measurements of thermal expansion and thermal conductivity

of FRPs by employing a hybrid measuring head on a GM refrigerator

S. Kanagaraj and S. Pattanayak 451

Electrical resistivity studies of thermally evaporated manganese-rhenium thin films

F. Bookye 459

High-pin density feedthrough for superfluid helium applications S. Janos and F. Nydegger 463

Measurements of thermal expansion coefficient of phenolic foam at low temperatures

D.Q. Deng and L. Xu 46

Fracture and deformation properties of Ni–Fe superalloy in cryogenic high magnetic field environments *Y. Yamaguchi, K. Horiguchi,*

Y. Shindo, D. Sekiya and S. Kumagai 469

Additional effect of Ag and 211 phase on thermal expansion of REBaCuO bulk superconductor (RE=Sm, Y) H. Fujishiro, M. Ikebe, S. Kohayashi, K. Noto and K. Yokoyama 477

Effect of grain size on high-cycle fatigue properties in alpha-type titanium alloy at cryogenic temperatures *Y. Ono, T. Yuri, H. Sumiyoshi, S. Matsuoka and T. Ogata* 483 Calendar 491

Number 9/September

Thermoacoustic power effect on the refrigeration performance of thermal separators

S.B. Liang, X.L. Li and H.B. Ma 493

Capacitance based mass metering for cryogenic fluids

M.A. Nurge, R. Youngquist and D. Walters 501

Comparison of cavitation flows in He I and He II

T. Ishii and M. Murakami 507 Temperature difference generated in

thermo-driven thermoacoustic refrigerator Q. Tu, Q. Li, F. Guo, J. Wu and

J. Liu 515
A heat exchanger model that includes axial conduction, parasitic heat loads, and property variations
G.F. Nellis 523

Calendar 539

Numbers 10-11/October-November

Preface 541

Single flux quantum signal transmission techniques in building practical RSFQ circuits

J.H. Kang 543

Effect of starting precursor powders on microstructural development and critical current density properties of BSCCO 2223 tapes

J.W. Ko, J.M. Yoo, Y.K. Kim,

K.H. Oh, S.J. Choe and

H. Chung 549

Characteristics of critical current of superconducting solenoid wound with the stacked tape M.C. Ahn, S. Lee, M.C. Kim, D.K. Bae, C. Lee, M. Joo and T.K. Ko 555

Temperature dependence of Nb penetration depth measured by a resistive method

D.H. Kim, K.T. Kim, H.G. Hong, J.S. Hwang and T.S. Hahn 561

Synthesis of \widehat{As} -grown superconducting MgB_2 thin films by sputtering method

M. Akinaga 567
 Basic study of high T_c superconducting magnet excited by thermoelec-

tromotive force M. Ono, T. Kuriyama, J. Ueda and

T. Okamura 571

Measurement of cryogenic regenerator

characteristics under oscillating flow and pulsating pressure K. Nam and S. Jeong 575

Performance of heat transfer and pressure drop in superconducting cable former

C.H. Lee, C.D. Kim, K.S. Kim, D.H. Kim and I.S. Kim 583

Cryogenic cooling system of HTS transformers by natural convection of subcooled liquid nitrogen H.-M. Chang, Y.S. Choi, S.W. Van Sciver and K.D. Choi 589

Subcooled liquid nitrogen refrigerator for HTS power systems

Y. Suzuki, S. Yoshida and

Y. Kamioka 597

Thermal stability analysis of conduction-cooled HTS coil T. Obana, K. Tasaki, T. Kuriyama

and T. Okamura 603 Study on the development of a capacitance-type flowmeter for slush hydrogen K. Ohira, K. Nakamichi and Y. Kihara 607

Development of a microwave-type densimeter for slush hydrogen K. Ohira, K. Nakamichi and Y. Kihara 615

Design, fabrication techniques and test results of 1.2 kV/80 A inductive fault current limiter by using conductioncooled system

H. Kang, S. Lee, D.K. Bae, M.C. Ahn and T.K. Ko 62

Effect of winding direction on fourlayer HTS power transmission cable S.-W. Kim, J.-H. Joo, J. Cho, J.H. Bae, H.J. Kim and K.C. Seong 629

AC surface flashover strength and barrier effect of LN₂ for HTS transformer with simulated electrode

J.-M. Joung, S.-M. Baek, H.-J. Kim and S.-H. Kim 637

Development of 3kA conduction cooled HTS current lead system K. Ohsemochi, M. Ono, S. Nomura, T. Kuriyama, H. Kasahara, S. Akita and S. Koso 643

Dependence on winding tensions for stability of a superconducting coil M. Takeo, S. Sato, M. Matsuo, T. Kiss, T. Takao, A. Yamanaka, T. Kashima, T. Mito and K. Minamizato 649

Number 12/December

A new generation of ³He refrigerators A. Graziani, G. Dall'Oglio, L. Martinis, L. Pizzo and L. Sabbatini 659

Dendritic flux avalanches in superconducting Nb₃Sn films I.A. Rudnev, S.V. Antonenko, D.V. Shantsev, T.H. Johansen and A.E. Primenko 663

Kapitza resistance and thermal conductivity of Kapton in superfluid helium

B. Baudouv 667

CFD simulation on inlet configuration of plate-fin heat exchangers *Z. Zhang and Y. Li* 673

On the wavelet analysis of the oscillatory phenomena in He II film boiling

P. Zhang and M. Murakami 679

- Investigation on the oscillation modes in a thermoacoustic Stirling prime mover: mode stability and mode transition
 - Z.B. Yu, Q. Li, X. Chen, F.Z. Guo, X.J. Xie and J.H. Wu 687
- Experimental study on natural circulation precooling of cryogenic pump system with gas phase inlet reflux configuration
- G.B. Chen, Y.K. Zhong,
 X.L. Zheng, Q.F. Li,
 X.M. Xie, Z.H. Gan,
 Y.H. Huang, K. Tang,
 B. Kong and L.M. Qiu 693
 Inductive heating on a NbTi CICC magnet: energy calibration and stability analysis
 L. Muzzi, P. Gislon, S. Turtù and

699

M. Spadoni

- **Book review**
- "The Physics of Superconductors",
 Vol. 1: Conventional and
 High-Tc superconductors,
 K.-H. Bennemann,
 J.B. Ketterson (Eds.)
 P. Pugnat 705
 Index to Volume 43

Author Index

Ahn, M.C., 555, 621 Akhmetov, A.A., 317 Akinaga, M., 567 Akita, S., 643 Amemiya, N., 249 Anghel, A., 225 Antonenko, S.V., 663

Bae, D.K., 555, 621
Bae, J.H., 629
Baek, S.-M., 637
Baudouy, B., 667
Bi, Y.F., 165
Boakye, F., 459
Boehme, R., 325
Boerio-Goates, J., 369
Bottura, L., 215, 233, 241, 431
Breschi, M., 233, 241
Bruzzone, P., 165

Chang, H.-M., 589 Chen, G.B., 693 Chen, J.L., 165 Chen, X., 687 Chen, Y.S., 335 Chen, Z.M., 165 Cho, J., 629 Choe, S.J., 549 Choi, K.D., 589 Choi, Y.S., 589 Chung, H., 549 Cooley, J.C., 369

DallOglio, G., 659 Darling, T.W., 369 de Boer, P.C.T., 379 Deng, D.Q., 465 de Waele, A.T.A.M., 441 Duchateau, J.L., 209

Eyssa, Y.M., 141

Fabbri, M., 241 Fang, J., 165 Fisher, R.A., 369 Freudenberger, J., 133 Fujishiro, H., 477

Gaganov, A., 133 Gan, Z.H., 693 Gislon, P., 699 Graziani, A., 659 Guo, F., 515 Guo, F.Z., 687

Haghighi, B., 393 Hahn, T.S., 561 Hara, M., 19 Haruyama, T., 425 He, G.Q., 1 Heller, R., 139 Hertout, P., 209 Hickman, A.L., 133 Hirai, S., 125 Hojo, M., 45 Hong, H.G., 561 Horiguchi, K., 469 Hou, Y.K., 1 Huang, B.J., 59 Huang, Y.H., 693 Hults, W.L., 369 Hundley, M.F., 369 Hwang, J.S., 561

Ikebe, M., 477 Ikeda, H., 441 Inaguchi, T., 111 Ishii, T., 507 Ishimoto, J., 9 Iwasa, Y., 303

Jaime, M., 369 Janos, S., 463 Jeong, S., 575 Johansen, T.H., 663 Jones, H., 133 Joo, J.-H., 629 Joo, M., 555 Joung, J.-M., 637 Ju, Y.L., 1

Kamba, T., 435 Kamijo, K., 9 Kamioka, Y., 597 Kanagaraj, S., 399, 451 Kanda, N., 425 Kang, H., 621 Kang, J.H., 543 Kasaba, K., 345 Kasahara, H., 643 Kashima, T., 649 Katagiri, K., 345 Kihara, Y., 607, 615 Kikuchi, J., 449 Kim, C.D., 583 Kim, D.H., 561, 583 Kim, H.J., 629 Kim, H.-J., 637 Kim, I.S., 583 Kim, K.S., 583 Kim, K.T., 561 Kim, M.C., 555 Kim, S.-H., 637 Kim, S.-W., 629 Kim, Y.K., 549 Kimura, K., 435 Kiss, T., 649 Ko, J.W., 549 Ko, T.K., 555, 621 Kobayashi, E., 249 Kohayashi, S., 477 Kong, B., 693 Koso, S., 643 Krishnakumar, K., 101 Kumagai, S., 469 Kuriyama, T., 571, 603, 643 Kuroda, K., 425

Laee, M.R., 393 Lashley, J.C., 369 Lee, C., 555 Lee, C.H., 583 Lee, S., 555, 621 Li, B.Z., 165 Li, Q., 351, 515, 687 Li, Q.F., 693 Li, X.L., 493 Li, Y., 673 Liang, J.T., 1 Liang, S.B., 493 Lin, L., 71 Lin, L.Z., 25 Liu, D.Y., 335 Liu, J., 515 Liu, L., 359 Lu, Y., 71 Luongo, C.A., 141, 153

Ma, H.B., 493 Maddocks, J.R., 31 Mao, S., 153 Marques, R.P., 325 Martinis, L., 659 Matin, N.S., 393 Matsubara, Y., 441 Matsuo, M., 649
Matsuoka, S., 483
Meyder, R., 199
Migliori, A., 369
Miller, J.R., 141, 153
Minamizato, K., 649
Mitchell, N., 179, 255
Mito, T., 649
Miyoki, S., 425
Morales, L., 369
Moriai, H., 45
Murakami, A., 345
Murakami, M., 53, 345, 507, 679
Muzzi, L., 699

Nakamichi, K., 607, 615 Nakamura, S., 111 Nam, K., 575 Narasaki, K., 435 Nellis, G.F., 31, 523 Nicollet, S., 209 Nishino, T., 435 Noda, K., 435 Nomura, S., 643 Noto, K., 345, 477 Nurge, M.A., 501 Nydegger, F., 463

Obana, T., 603 Ochiai, S., 45 Ogata, T., 483 Ogawa, H., 435 Ogitsu, T., 249 Oh, K.H., 549 Ohashi, M., 425 Ohira, K., 607, 615 Ohsemochi, K., 643 Ohuchi, N., 249 Okamura, T., 125, 571, 603 Oki, Y., 45 Okuda, H., 45 Okuda, T., 435 Ono, M., 571, 643 Ono, Y., 483 Ozawa, Y., 111

Pagliuso, P.G., 369 Palanki, H., 271 Parise, J.A.R., 325 Pasler, V., 199 Pattanayak, S., 399, 451 Phillips, N.E., 369 Pizzo, L., 659 Primenko, A.E., 663 Pugnat, P., 705

Qiu, L.M., 693

Rebaï, M., 209 Richard, L.S., 179 Riddone, G., 359 Rossi, L., 281 Rosso, C., 215, 233 Rudnev, I.A., 663

Sabbatini, L., 659 Saito, Y., 425 Sakai, S., 45 Sarrao, J.L., 369 Sasaki, K., 249 Sato, N., 425 Sato, S., 649 Savoldi Richard, L., 79, 91 Sawada, R., 449 Sawamura, M., 345 Sayre, S.D., 141 Schmitz, G., 199 Schwartz, J., 271 Sekiguchi, M., 125 Sekimoto, Y., 435 Sekino, F., 45 Sekiva, D., 469 Seong, K.C., 629 Shantsev, D.V., 663 Shibamura, E., 449 Shimohata, K., 111 Shindo, Y., 469 Shintomi, T., 249, 425 Shoji, Y., 345 Smith, J.L., 369 Spadoni, M., 699 Stepanov, B., 165 Stewart, G.R., 369 Suehiro, J., 19 Suekane, T., 125 Sugimoto, M., 435 Sumiyoshi, H., 483 Sun, B.W., 59 Suzuki, T., 425 Suzuki, Y., 597

Takao, T., 649 Takeo, M., 649 Tanaeva, I.A., 441 Tanaka, M., 45 Tang, K., 693 Tasaki, K., 603 Tatsumi, D., 425
Tavian, L., 359
Taylor, C., 425
Teng, Y., 71
Teshima, H., 345
The TFMC Testing Group, 79
Thoma, D.J., 369
Thompson, S.H., 271
Tomaru, T., 425
Trillaud, F., 271
Trociewitz, U.P., 271
Tsuchiya, K., 249
Tu, Q., 351, 515
Turtù, S., 699

Uchiyama, T., 425 Ueda, J., 571

van Bokhoven, L.J.A., 441 Van Sciver, S.W., 589 Venkatarathnam, G., 101

Walters, D., 501 Wang, F.T., 165 Wang, R.Z., 53 Wang, Y., 71 Watanabe, K., 45 Weijers, H.W., 271 Weng, P., 173 Weng, P.D., 165 Woodfield, B.F., 369 Wu, F., 351 Wu, J., 515 Wu, J.H., 687 Wu, Y.N., 335

Xiao, B., 173 Xiao, B.J., 165 Xiao, L., 71 Xiao, L.Y., 25 Xie, X.J., 687 Xie, X.M., 693 Xu, L., 335, 465 Xu, X., 71 Xu, Y.X., 53 Xuan, X.C., 117

Yamaguchi, Y., 469 Yamamoto, A., 425 Yamanaka, A., 649 Yamashita, M., 449 Yao, D.M., 165 Yokogawa, S., 435 Yokoyama, K., 477 Yokoyama, S., 111 Yonekawa, H., 249 Yoo, J.M., 549 Yoshida, S., 597 Yoshimura, T., 449 Youngquist, R., 501

Yu, Y.J., 25 Yu, Z.B., 687 Yuri, T., 483

Zanino, R., 79, 91, 179 Zhang, C.Q., 335 Zhang, G.M., 25 Zhang, P., 53, 679 Zhang, Z., 673 Zheng, X.L., 693 Zhong, Y.K., 693 Zhong Guo, F., 351 Zhou, Y., 1

Keywords

AC loss, 317, 629
AC losses, 25, 141, 153, 699
Accelerator magnets, 233
Accelerator magnets (F), 241
Actuator, 425
AE detection of hot spots in superconductors, 303
Air-liquefaction, 325
Alpha-type titanium alloy, 483
Angular dependence, 25
Applied magnetic field, 25

Barrier effect, 637 Bi-2223/Ag, 271 Bi-2223 phase, 549 Bi2223 tape, 71 Bi-2223 tape, 25 Breakdown characteristic, 637

Cable in conduit conductors, 79, 179, 199
Cable in conduit conductors (A), 91
Cable-in conduit-conductors, 225
Cable-in-conduit conductor, 165
Cable-in-conduit conductors, 141, 153
Cable-in-conduit conductors (A), 209
Calibration, 53
Calorimetry, 141
Capacitance, 449
Capacitance type, 607

Characteristics, 335
Composites (A), 399
Conduction-cooled HTS coil, 603

Cartridge, 435

Cavitation, 9, 507

Conduction-cooled system, 621 Conductor material, 133

Connecting hose, 335 Continuous wavelet transform, 679

Convection, 125 Cooldown, 359 Cooler performance, 335 Coupling loss, 165 Critical current, 45, 555 Critical current density, 549 Cryocooler, 31, 59, 379 Cryocooler-cooled system, 621 Cryocoolers, 441 Cryogenic flow, 493 Cryogenic fluids, 325 Cryogenic pump, 693 Cryogenic temperature, 483 Cryogenics, 303 Cryostat, 435 Cryostats (E), 589 Cryostats (F), 463 Current distribution, 111 Current sharing, 79, 179, 629 Current sharing (C), 91, 249 Current transfer, 165

dc reactor, 621 Dendritic, 663 Densimeter, 615 Dielectric properties (C), 501 Dilatometer, 465

Economics of HTS magnets, 303
Eddy current, 173
Electrical insulation (A), 667
Electrical resistivity, 459
Electromagnetic phenomena, 233, 317
Electromagnetic phenomena (C), 241
Equation of state, 393
Exo-reversible, 117
Experimental measurements, 1

Fatigue, 45
Fault current limiter, 111
Film boiling, 679
Flow distribution, 673
Flowmeter, 607
Fluid dynamics, 125, 215
Flux flow loss, 19
Flux jump, 663
Forced flow (C), 209
Fractal fluctuation, 53
Frictional coefficient, 649
Fusion magnet, 699
Fusion magnets, 79, 179, 199, 233
Fusion magnets (F), 91, 209,

Gaussian distribution, 71 Gd123, 345 GM refrigerator, 451 Grain size, 483 Gravitational wave detector, 425

He II, 9, 679 He II (B), 667 Header configuration, 673 Heat capacity, 441 Heat exchangers, 101, 523 Heat exchangers (E), 325 Heat transfer, 125, 215, 359, Heat transfer (C), 325, 589, 667 Heat transfer coefficient, 101 Heat-pump stack, 515 Hell cooling, 141 High-cycle fatigue property, High nitrogen stainless steel, 133 High strength, 133 High T_c superconducting magnet, 571 High-Tc superconductor, 425 High temperature superconductor (HTS), 71 HTS current lead, 643 HTS film, 111 HTS power application, 597 HTS power transmission cable, 629 HTS solenoid, 555 HTS transformer, 637 Hybrid, 31 Hydrogen (B), 501

Index heating, 153
Ineffectiveness, 575
Inertance tube, 1
Instability, 663
Instrumentation, 451
Instrumentation (D), 399, 463, 501
Inversion curve, 393
Isothermal, 31

Joule-Thomson coefficient, 393

Kondo scattering, 459

Level meter, 449 LHC, 359 Liquid fuel, 607, 615 Liquid helium, 125 Liquid helium (B), 469 Liquid hydrogen, 607, 615 Liquid nitrogen, 637 Liquid transfer, 693 Liquid xenon, 449 Local heat disturbance, 271

Macrocomposite, 133 Magnetic moment, 441 Magneto-optical imaging, Mechanical PCS, 19 Mechanical properties (C), Metals (A), 399, 469 MgB₂, 567 Microstrip, 543 Microstructure, 549 Microwave, 615 Mode stability, 687 Mode transition, 687 Model, 31 Modified QMG, 345 Multichip module, 543 Multi-layer, 629 Multi-phase flow, 9 Multistage refrigeration systems, 117 Multistream plate-fin heat exchangers, 325

n value, 71
Natural circulation precooling, 693
Nb-Ti/Cu superconducting composite, 45
Nb/AlO_x/Nb Josephson junction, 561
Nb₃Sn, 663
Network model, 351, 515
Nitrogen (A), 589
Nitrogen (B), 501
Non-linearity, 53
Normal zone propagation velocity, 271
Numerical simulation, 9

Optimum staging, 117 Orifice pulse-tube refrigerator, 59 Oscillating flow, 1, 575 Oscillating frequency, 351 Oscillating gas, 493 Oxford split-Stirling cryocooler, 335 Oxygen (B), 501

Penetration depth, 561
Phenolic foam, 465
Pin-array stack, 515
Plasma disruption, 173
Plate-fin heat exchanger, 673
Poisson's ratio, 345
Precursor powders, 549
Pressure drop, 359, 575
Pressure loss, 507
Pressure oscillation and temperature oscillation, 679
Propagation velocity, 215
Protection, 303
Pulse field, 165
Pulse tube, 379

Quench, 215, 225 Quench (C), 249 Quench analysis, 153 Quench energy, 271 Quench time lag, 19

RE₂BaCuO₅, 477
REBaCuO bulk superconductors, 477
Recuperative, 31
Recycling, 543
Regenerative, 31
Regenerator, 379, 575
Regenerator materials, 441
Regenerators, 523
Resistive heater, 271
Resistive method, 561
Reverse-brayton, 31
λ-phase transition, 507
R/S analysis, 53

4.Schmidt, 31
Seebeck coefficient, 571
SFCL, 621
Silver, 477
Simulation, 325
Simultaneous measurement, 451
Slush hydrogen, 607, 615
SMES, 643
Solidification, 607, 615
Sputtering method, 567

Stability, 303, 649, 699 Stability (C), 249 Stability margin, 165 Stability of bath- and forced flow-cooled YBCO tapes. Stacked tape, 555 Standard deviation, 71 Statistical local critical current, 71 Stirling, 31 Structural materials (A), 469 Subcooled liquid nitrogen, 597 Sub-surface crack initiation, Superconducting cables, 233, 317 Superconducting cables (A), 241, 249 Superconducting coil, 649 Superconducting magnet, Superconducting magnets, Superconducting magnets (F), Superconductors, 79, 179, 225 Superconductors (A), 91 Supercritical helium, 79, 179, Supercritical helium (B), 91 Superfluid helium, 507 Superfluid helium (B), 463 Superfluid helium (He II), 125

Temperature dependent properties, 117 Temperature stratification, 597 Tensile strength, 345 TF coils, 173 Thermal conductivity, 199, 451, 649 Thermal expansion, 451, 477, Thermal expansion (C), 399 Thermal expansion coefficient, 465 Thermal link, 435 Thermal runaway current, 603 Thermal separators, 493 Thermal stability, 603 Thermal-hydraulic, 173 Thermal strain, 649 Thermoacoustic engine, 351

Thermoacoustic refrigerator, 515 Thermoacoustic Stirling prime mover, 687

Thermoacoustics, 493
Thermoelectric cooler, 117
Thermoelectric element, 571
Thermoelectromotive force, 571

Thin film, 567, 663

Thin films, 459 Transformers (E), 589 Transient testing, 101 Turbine, 31

Variable-resistance orifice pulse-tube refrigerator, 59 Venturi channel, 9

Void fraction, 507

Warmup, 359 Winding direction, 629 Winding pitch, 629 Winding tension, 649 Wire motion, 649

YBCO, 643 YBCO coated conductors, 271 Youngs modulus, 345

